

### SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name: Total Hardness Plus

Datasheet Number: SDS 024

Chemical Name: Calcium chloride
CAS No.: 10043-52-4
EC No.: 233-140-8

REACH Registration Number: 01-2119494219-28-XXXX UFI: E220-1072-C009-9HQC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Pool / spa treatment
Use advised against: No information available

1.3 Details of the supplier of the safety data sheet

Name of Supplier: Plastica Ltd Address of Supplier: Perimeter House

Napier Road St Leonards-on-Sea East Sussex United Kingdom TN38 9NY

Telephone: +44 (0) 1424 857857 Email: info@plasticapools.net

1.4 Emergency telephone number

Emergency Telephone: 0800 043 0891 (technical)

0800 043 0892 (emergency)

### **SECTION 2:** Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]: Eye Irrit. 2, H319

Additional information: For full text of Hazard and EU Hazard statements: see section 16

2.2 Label elements



Signal Word: Warning

Hazard statements

H319 - Causes serious eye irritation.

Precautionary statements

P264 - Wash skin thoroughly after handling.

P280 - Wear eye/face protection

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Datasheet Number: SDS 024 Prometheus v1.6.8.4

# **SECTION 2:** Hazards identification (....)

Supplemental Hazard information (EU)

None

#### 2.3 Other hazards

Not a PBT according to REACH Annex XIII

Not a vPvB according to REACH Annex XIII

Has not been identified as having endocrine disrupting properties

# **SECTION 3:** Composition/information on ingredients

### 3.1 Substances

	Chemical Name	Conc.	CAS No.	EC No.	Classification (REGULATION (EC) No 1272/2008) [CLP/GHS]	SCL/ M-Factor/ ATE	REACH Registration Number	WEL/ OEL
l	Calcium chloride	90 - 100 %	10043-52-4	233-140-8	Eye Irrit. 2, H319	-	01-2119494219-28-XXXX	No

### 3.2 Mixtures

Not applicable

## **SECTION 4:** First aid measures

### 4.1 Description of first aid measures

Rescuers should put on approved personal protective equipment (PPE) before administering first aid Rescuers should take suitable precautions to avoid becoming casualties themselves

# Contact with eyes

If substance has got into eyes, immediately wash out with plenty of water for several minutes Irrigate eyes thoroughly whilst lifting eyelids

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### Contact with skin

Gently wash with plenty of soap and water.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

## Ingestion

If swallowed, rinse mouth with water (only if the person is conscious)

Never give anything by mouth to an unconscious person

Give plenty of water to drink

Do NOT induce vomiting.

If vomiting occurs turn patient on side

Get medical advice/attention.

## Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Get medical advice/attention

4.2 Most important symptoms and effects, both acute and delayed

Datasheet Number: SDS 024 - v2.0.0 Prometheus v1.6.8.4

## SECTION 4: First aid measures (....)

Contact with eyes

Causes severe irritation

Contact with skin

Prolonged or repeated exposure may cause irritation

Ingestion

May cause gastro-intestinal irritation May cause nausea/vomiting

Inhalation

Dust may cause respiratory irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

# **SECTION 5:** Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Not flammable. In case of fire use extinguishing media appropriate to

surrounding conditions

Unsuitable extinguishing media: High volume water jet

5.2 Special hazards arising from the substance or mixture

Gives off irritating or toxic fumes (or gases) in a fire.

Decomposition products may include calcium oxides, hydrogen chloride

5.3 Advice for firefighters

Collect contaminated fire extinguishing water separately. This MUST not be discharged into drains. Prevent fire extinguishing water from contaminating surface or ground water.

Special protective equipment: Wear self-contained breathing apparatus (SCBA). Wear full protective clothing including chemical protection suit.

Clothing for firefighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Rescuers should take suitable precautions to avoid becoming casualties themselves

Only trained and authorised personnel should carry out emergency response

Personal precautions for non-emergency personnel: Do not breathe dust; Do not get in eyes, on skin, or on clothing; Contaminated clothing should be laundered before reuse; Wash thoroughly after handling.

Personal precautions for emergency responders: In case of insufficient ventilation, wear suitable respiratory equipment; Wear protective clothing as per section 8; Wash thoroughly after dealing with spillage

6.2 Environmental precautions

Do not allow to penetrate the ground/soil.

Datasheet Number: SDS 024 - v2.0.0

# **SECTION 6:** Accidental release measures (....)

Do not allow to enter public sewers and watercourses

6.3 Methods and material for containment and cleaning up

Stop leak if safe to do so.

Avoid formation of dust

Remove by mechanical means

Place in appropriate container

Seal containers and label them

Remove contaminated material to safe location for subsequent disposal

Seek expert advice for removal and disposal of all contaminated materials and wastes

6.4 Reference to other sections

See section(s): 7, 8 & 13

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Ensure adequate ventilation

Avoid formation of dust

Do not get in eyes, on skin, or on clothing.

Wear goggles giving complete eye protection

Wear protective clothing as per section 8

Contaminated clothing should be laundered before reuse

Use good personal hygiene practices

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Ensure eyewash stations and safety showers are nearby

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry well-ventilated place. Keep container tightly closed.

Keep only in the original container

Storage containers should not be made from aluminium

Protect from moisture

Keep away from heat and sources of ignition

Keep away from food, drink and animal feedingstuffs

Incompatible with strong oxidizing agents and reducing agents

### 7.3 Specific end use(s)

Pool / spa treatment

Datasheet Number: SDS 024 - v2.0.0

## **SECTION 8:** Exposure controls/personal protection

### 8.1 Control parameters

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace exposure - Measurement of exposure by inhalation to chemical agents - Strategy for testing compliance with occupational exposure limit values). European Standard EN 14042 (Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents). European Standard EN 482 (Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents). Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### Calcium chloride

DNEL (inhalational) 5 mg/m³ Industry, Long Term, Local Effects

DNEL (inhalational) 10 mg/m³ Industry. Acute/Short Term. Local Effects

DNEL (inhalational) 2.5 mg/m³ Consumer, Long Term, Local Effects

DNEL (inhalational) 5 mg/m³ Consumer, Acute/Short Term, Local Effects

### 8.2 Exposure controls

Selection and use of personal protective equipment should be based on a risk assessment of exposure potential

### Engineering controls

Ensure adequate ventilation

Provide appropriate exhaust ventilation at places where airborne dust is generated

### Respiratory protection

No respiratory protection is needed during normal handling, if dust is formed, wear approved dust mask

Use type FFP2 or FFP3 (EN 143) dust masks

### Eye/face protection

Wear goggles giving complete eye protection approved to standard EN 166.

## Skin protection

Wear suitable protective clothing

Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.

The selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Breakthrough time is dependent on the characteristics of the brand of glove used and the supplier should be consulted.

Suitable glove material: PVC, Neoprene, Natural Rubber

Glove material: PVC or Natural Rubber

Thickness: 0.5 mm

Breakthrough time: ≥ 480 min

Reference: Supplier

Glove material: Neoprene

Thickness: 0.35 mm

Breakthrough time: ≥ 480 min

Reference: Supplier

Thermal hazards

Not applicable

Hygiene measures

Datasheet Number: SDS 024 - v2.0.0



# **SECTION 8:** Exposure controls/personal protection (....)

Do not eat, drink or smoke when using this product.

Use good personal hygiene practices

Wash thoroughly after handling.

Contaminated clothing should be laundered before reuse

Contaminated work clothing should not be allowed out of the workplace.

Ensure eyewash stations and safety showers are nearby

Environmental exposure controls

Do not empty into drains

Do not allow to penetrate the ground/soil.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Physical state: Solid
Colour: White
Odour: Odourless
Melting point/freezing point: 782 °C

Boiling point or initial boiling point and boiling range: 1 670 °C

Flammability: Not flammable
Lower and upper explosion limit: Not applicable
Flash point: Not applicable
Auto-ignition temperature: No data available

Decomposition temperature: > 772 °C

pH: ca. 7 - 11 (100 g/L @ 20 °C)

Kinematic viscosity: Not applicable Solubility: 740 g/L @ 20 °C

Partition coefficient n-octanol/water (log value): Not applicable, inorganic

Vapour pressure: 0.1 Pa @ 20 °C

Density and/or relative density: 2.15 @ 15 - 25 °C

Relative vapour density: No data available

Particle characteristics: No data available

9.2 Other information

None

# **SECTION 10:** Stability and reactivity

10.1 Reactivity

No decomposition if stored normally.

Substance is hygroscopic

Generates heat on addition to water (exothermic)

10.2 Chemical stability

Stable under normal conditions

Datasheet Number: SDS 024 - v2.0.0

# SECTION 10: Stability and reactivity (....)

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4 Conditions to avoid

Keep away from heat and sources of ignition

Decomposes above 772 °C

Protect from moisture

Substance is hygroscopic

10.5 Incompatible materials

Incompatible with strong oxidizing agents and reducing agents

May be corrosive to metals (aqueous solution)

10.6 Hazardous decomposition products

Decomposition products may include calcium oxides, hydrogen chloride

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute Toxicity** 

Based on available data, the classification criteria are not met

### Substances

Chemical Name	LD <sub>50</sub> (oral, rat)	LC <sub>50</sub> (inhalation, rat)	LD <sub>50</sub> (dermal, rabbit)
Calcium chloride	2 120 mg/kg	No data available	> 2 000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met

### Substances

Chemical Name	Irritation/corrosion
Calcium chloride	No adverse effect observed (not irritating)

Serious eye damage/irritation

Causes serious eye irritation.

## Substances

Chemical Name	Irritation/corrosion
Calcium chloride	Adverse effect observed (irritating)

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met

### Substances

Chemical Name	Skin sensitisation	Respiratory sensitisation
Calcium chloride	No adverse effect observed (not sensitising)	No adverse effect observed (not sensitising)

Datasheet Number: SDS 024 - v2.0.0



# **SECTION 11:** Toxicological information (....)

Germ cell mutagenicity

No evidence of mutagenic effects

### Substances

Chemical Name	Toxicity - In Vitro	Toxicity - In Vivo
Calcium chloride	No adverse effect observed (negative)	No data available

### Carcinogenicity

No evidence of carcinogenic effects

### Substances

Chemical Name	NOAEL (oral, rat)	NOAEC (inhalation, rat)	NOAEL (dermal, rat)
Calcium chloride	No data available	No data available	No data available

## Reproductive toxicity

No evidence of reproductive effects

### Substances

Chemical Name	NOAEL	NOAEC	NOAEL
	(oral, rat)	(inhalation, rat)	(dermal, rat)
Calcium chloride	No data available	No data available	No data available

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met

### Substances

Chemical Name	Route	Remarks
Calcium chloride	Respiratory	No adverse effect observed (not irritating)

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met

# Substances

Chemical Name	NOAEL (oral, rat)	NOAEC (inhalation, rat)	NOAEL (dermal, rat)
Calcium chloride	No data available	No data available	No data available

# Aspiration hazard

Based on available data, the classification criteria are not met

Contact with eyes

Causes severe irritation

Contact with skin

Prolonged or repeated exposure may cause irritation

Ingestion

May cause gastro-intestinal irritation May cause nausea/vomiting

Inhalation

Dust may cause respiratory irritation.



# **SECTION 11:** Toxicological information (....)

11.2 Information on other hazards

Has not been identified as having endocrine disrupting properties

# **SECTION 12:** Ecological information

## 12.1 Toxicity

Based on available data, the classification criteria are not met

### Substances

Chemical Name	LC <sub>50</sub> (fish)	EC <sub>50</sub> (aquatic invertebrates)	EC <sub>50</sub> (aquatic algae)
Calcium chloride	(4 days) 4.63 g/L	LC <sub>50</sub> (48 h) 2.4 - 2.77 g/L	(72 h) 2.9 - 27 g/L

## 12.2 Persistence and degradability

Decomposition by hydrolysis

### Substances

Chemical Name	Biodegradation	
Calcium chloride	Not applicable, inorganic	

### 12.3 Bioaccumulative potential

### Substances

Chemical Name	Bioconcentration Factor (BCF)	Log Kow
Calcium chloride	Bioaccumulation is not expected	Not applicable, inorganic

# 12.4 Mobility in soil

Soluble in water

### Substances

Chemical Name	Adsorption/desorption
Calcium chloride	No data available

### 12.5 Results of PBT and vPvB assessment

Not a PBT according to REACH Annex XIII

Not a vPvB according to REACH Annex XIII

## 12.6 Endocrine disrupting properties

Has not been identified as having endocrine disrupting properties

### 12.7 Other adverse effects

Do not allow to penetrate the ground/soil.

Do not allow to enter public sewers and watercourses

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Disposal should be in accordance with local, state or national legislation

Datasheet Number: SDS 024 - v2.0.0

# **SECTION 13:** Disposal considerations (....)

This material and its container must be disposed of as hazardous waste

Do not discharge into drains or the environment, dispose to an authorised waste collection point

Do not reuse empty containers without commercial cleaning or reconditioning

Containers may be reused/recycled

### 13.2 Classification

The waste must be identified according to the List of Wastes (2000/532/EC)

Hazardous Property Code(s): HP 4 Irritant

## **SECTION 14: Transport information**

Not classified as hazardous for transport

14.1 UN number or ID number

UN No.: Not applicable

14.2 UN proper shipping name

Proper Shipping Name: Not applicable

14.3 Transport hazard class(es)

Hazard Class: Not applicable

14.4 Packing group

Packing Group: Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Road/Rail (ADR/RID)

ADR UN No.: Not applicable Proper Shipping Name: Not applicable ADR Hazard Class: Not applicable ADR Packing Group: Not applicable Tunnel Code: Not applicable

14.9 Sea (IMDG)

IMDG UN No.: Not applicable Proper Shipping Name: Not applicable IMDG Hazard Class: Not applicable IMDG Packing Group.: Not applicable

14.10 Air (ICAO/IATA)

ICAO UN No.: Not applicable
Proper Shipping Name: Not applicable
ICAO Hazard Class: Not applicable

Datasheet Number: SDS 024 - v2.0.0



## **SECTION 14:** Transport information (....)

ICAO Packing Group: Not applicable

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet is provided in compliance with REACH Regulation (EC) No 1907/2006 (as amended by Regulation (EU) 2020/878) and UK REACH

The GB Classification, Labelling and Packaging Regulation (GB CLP) applies in Great Britain

Regulation (EC) No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) applies in Europe

Seveso III Directive (2012/18/EU, Dangerous Substances in Annex I: Not applicable

15.2 Chemical safety assessment

A REACH chemical safety assessment has been carried out

### **SECTION 16:** Other information

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of PLASTICA'S limited knowledge and belief, accurate, and reliable as of the date of authorisation of this safety data sheet. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to be satisfied as to the suitability and completeness of such information for the product as used.

Sources of data: Information from published literature and supplier safety data sheets

Revision No. 2.0.0. Revised September 2023.

Changes made: Updated to conform to latest version of REACH Annex II

### Training advice

Workers must be informed of the presence of hazardous ingredients and trained in the proper use and handling of this product as required under applicable regulations

Text not given with phrase codes where they are used elsewhere in this safety data sheet:

H319: Causes serious eye irritation.

## Acronyms

ATE: Acute Toxicity Estimate

CAS: Chemical Abstracts Service

DNEL: Derived No-Effect Level

EC: European Community

EC<sub>50</sub>: Effective Concentration, 50%

GHS: Globally Harmonised System

LC<sub>50</sub>: Lethal Concentration, 50%

LD50: Lethal Dose, 50%

NOAEC: No Observed Adverse Effect Concentration

NOAEL: No Observed Adverse Effect Level

OEL: Occupational Exposure Limit

Datasheet Number: SDS 024 - v2.0.0

# **SECTION 16:** Other information (....)

PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted No-Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

SCL: Specific Concentration Limit

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

WEL: Workplace Exposure Limit

12 of 12