


Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.07.2018

Version number 10

Revision: 12.07.2018



GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 10

Revision: 12.07.2018

Printing date 12.07.2018 Trade name: Kiddy-Safe

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

25988-97-0 Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-8) 15-30% / Polymeric quaternary ammonium chloride

- Aquatic Acute 1, H400; Aquatic Chronic 1, H410; 🔶 Acute Tox. 4, H302
- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Take affected persons out into the fresh air.

Keep warm, position comfortably and cover well.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: Take affected persons into fresh air and keep quiet.

- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Call a doctor immediately.
- After swallowing:

Rinse out mouth and then drink plenty of water. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Water spray
- Foam
- Fire-extinguishing powder
- Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide (CO) Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- Protective equipment: Wear fully protective suit. Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.
 Additional information
- Additional information
 Cool endangered receptacles with water spray.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Keep people at a distance and stay on the windward side.
Particular danger of slipping on leaked/spilled product.
6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.07.2018

Version number 10

Revision: 12.07.2018

(Contd. of page 2)

Trade name: Kiddy-Safe

Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- •7.1 Precautions for safe handling
- Keep receptacles tightly sealed.
- Keep away from heat and direct sunlight.
- · Information about fire and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities

- Storage:
- Requirements to be met by storerooms and receptacles:
- Store only in the original receptacle.
- Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
- Storage class: 12
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: Rubber gloves
- Not suitable are gloves made of the following materials: Strong material gloves
- Leather gloves
- · Eye protection: Goggles recommended during refilling
- Body protection: Light weight protective clothing

(Contd. on page 4)

Printing date 12.07.2018

Version number 10

Revision: 12.07.2018

(Contd. of page 3)

Trade name: Kiddy-Safe

SECTION 9: Physical and chemical properties			
• 9.1 Information on basic physical and chemical properties • General Information			
 Appearance: Form: Colour: Odour: Odour threshold: 	Fluid Blue Characteristic Not determined.		
• pH-value at 20 °C:	5.7		
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. ca. 0 °C 100 °C 100 °C		
Flash point:	Not applicable.		
Flammability (solid, gas):	Not applicable.		
Ignition temperature:	>100 °C		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
• Explosion limits: Lower: Upper:	Not determined. Not determined.		
Vapour pressure:	Not determined.		
 Density: Relative density Vapour density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.		
Solubility in / Miscibility with water:	Fully miscible.		
Partition coefficient: n-octanol/water	: -3.13		
• Viscosity: Dynamic: Kinematic:	Not determined. Not determined.		
• Solvent content: VOC (EC)	0.00 %		
Solids content: • 9.2 Other information	0.0 % No further relevant information available.		

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

• 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

⁻ GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.07.2018

Version number 10

Revision: 12.07.2018

Trade name: Kiddy-Safe

• LD/LC50 values relevant for classification:

25988-97-0 Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-8) / Polymeric quaternary ammonium chloride

- Oral LD50 1,672 mg/kg (rat)
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation:

Packaging may be reused or recycled after cleaning.

- Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
 • 14.1 UN-Number • ADR, IMDG, IATA • 14.2 UN proper shipping name 	UN3082
• ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polymer of N-Methylmethanamine (EINECS 204- 697-4 with (chloromethyl)-oxirane (EINECS 203-439-8) / Polymeric guaternary ammonium chloride)
• IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Polymer of N-Methylmethanamine (EINECS 204-697-4 with (chloromethyl)-oxirane (EINECS 203-439-8) / Polymeric (Contd. on page 6)

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

 Printing date 12.07.2018
 Version number 10
 Revision: 12.07.2018

 Trade name: Kiddy-Safe
 Version number 10
 Revision: 12.07.2018

∙IATA	(Contd. of page quaternary ammonium chloride), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (Polymer of N-Methylmethanamine (EINECS 204-697 with (chloromethyl)-oxirane (EINECS 203-439-8) / Polyme quaternary ammonium chloride)
 14.3 Transport hazard class(es) 	
• ADR, IMDG, IATA	
• Class	9 Miscellaneous dangerous substances and articles.
• Label	9
 14.4 Packing group 	
• ADR, IMDG, IATA	III
 14.5 Environmental hazards: 	
Marine pollutant:	Yes
	Symbol (fish and tree)
 Special marking (ADR): 	Symbol (fish and tree)
 Special marking (IATA): 	Symbol (fish and tree)
 14.6 Special precautions for user 	Warning: Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
• EMS Number:	F-A,S-F
Stowage Category	
14.7 Transport in bulk according to Annex II o and the IBC Code	Not applicable.
 Transport/Additional information: 	
• ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
-	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
• Tunnel restriction code	-
• IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
• UN "Model Regulation":	Maximum net quantity per outer packaging: 1000 ml UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (POLYMER OF N-METHYLMETHANAMI (EINECS 204-697-4 WITH (CHLOROMETHYL)-OXIRAN (EINECS 203-439-8) / POLYMERIC QUATERNARY AMMONIL CHLORIDE), 9. III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

• Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Version number 10

Revision: 12.07.2018

Trade name: Kiddy-Safe

(Contd. of page 6)
Relevant phrases
H302 Harmful if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 * Data compared to the previous version altered.
GB

Printing date 12.07.2018